
## MMI with Integrated Cell Phone Preparation and Hands-Free

From January 2011



Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.





10

11

12

13

4G2-036020420

= orange

= pink

or

## Information Electronics Control Module 1

- J285 Instrument Cluster Control Module
- J533 Data Bus on Board Diagnostic Interface
- Information Electronics Control Module 1. In the Center Console
- Fuse Panel 1
- SC2 Fuse 2 (On Fuse Panel C)
- SC4 Fuse 4 (On Fuse Panel C)
- T2aw 2-Pin Connector
- 8-Pin Connector
- T17o 17-Pin Connector, In the Connector Station, Right A-Pillar
- 32-Pin Connector
- T32b 32-Pin Connector
- Ground Connection 7 (in Main Wiring Harness)
- **Ground Connection 1 on Center Tunnel**
- (B159) Diagnostic Connection (in Interior Wiring Harness)
- Positive Connection 4 (30a) (in Main Wiring Harness)
- OBD Connection 1 (in Main Wiring Harness)
- Refer to Applicable Wiring Diagram for Fuse Positions
- Refer to Applicable Wiring Diagram for Data Bus Networking
- Omitted as a Running Change
- Fiber Optic Cable
- Running Change

16

20

21

22

23

24

25


27

4G2-036030420


= orange

= pink

## Information Electronics Control Module 1, Telephone Baseplate, Microphone Unit in Front Roof Module



\*4 \*4 T2au ¥ R152\* **(K) J**794 ₽<sub>T12g</sub> T12g T12g **₽**T12g \*3 ST<sub>2</sub> SF10 32 0.35 \*5 0.35 0.35 0.35 0.35 0.35 0.35 rt/gn T4y 州/3 0.35 0.35 0.35 0.75 gn gr sw T5I /1 T5I /2 T5I T2ar V1 T2ar 0.35 **(K)** R126 \*2 = white Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AC. AUDI AC does not guarantee or accept any liability 0.35 sw with respect to the correctness of information fed is document. Copyright by AUDI AG. T6e √1 T6e √5 = brown green = blue 0.5 = grey br R164 = lilac 13 = lilac = yellow



## Cellular Telephone Amplifier, Roof Antenna

- R50 GPS Antenna
- Telephone Antenna
- Cellular Telephone Amplifier
- R216 Roof Antenna
- ST2 Fuse Panel 2
- SF10 Fuse 10 (On Fuse Panel F)
- T2cg 2-Pin Connector
- T2ck 2-Pin Connector
- T2dc 2-Pin Connector
- T2dd 2-Pin Connector
- T4az 4-Pin Connector
- Ground Connection in Luggage Compartment, Right
- Ground Connection 18 (in Main Wiring Harness)
- Ground Connection 21 (in Main Wiring Harness)
- Ground Connection 24 (in Main Wiring Harness)
- Ground Connection on Right D-Pillar
- Connection 14 (in Main Wiring Harness)
- Not for USA
- Optional Equipment
- Refer to Applicable Wiring Diagram for Fuse Positions
- **GPS Antenna Connection**
- \*5 Avant
- From June 2011

= white

= red Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not = red permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability

with respect to the correctness of information in this document. Copyright by AUDI AG.

= brown br

= green

= blue bl

= grey

= lilac = lilac

= yellow

= orange or rs = pink